





## SPACER DISC COUPLING



Size	L	S	G	C	MAX. ID	SL	D	B	TORQUE NM
SD90-6	140	44	8	40	38	60	90	58	240
SD110-6	189	73	8	50	46	89	110	65	575
SD132-6	228	92	8	60	60	108	132	84	1100
SD158-6	264	102	11	70	70	124	158	98	2000
SD185-6	300	112	14	80	80	140	185	112	3300
SD202-6	340	128	16	90	90	160	202	125	4600
SD228-6	375	139	18	100	100	175	228	140	7000
SD255-6	427	155	21	115	110	197	255	155	10200
SD278-6	469	177	21	125	124	219	278	175	14200
SD302-6	505	187	24	135	135	235	302	190	20000
SD325-6	544	202	26	145	145	254	325	205	25000
SD345-6	580	214	28	155	155	270	345	220	31000
SD380-6	637	233	32	170	170	297	380	240	42300
SD410-6	690	254	33	185	180	320	410	255	57100
SD440-6	725	263	36	195	195	335	440	275	73500





## SPACER DISC COUPLING

Size	L	S	G	C	MAX. ID	SL	D	B	TORQUE NM
SD278-8	469	177	21	125	125	219	278	175	20000
SD302-8	505	187	24	135	135	235	302	190	30000
SD325-8	544	202	26	145	145	254	325	205	37000
SD345-8	580	214	28	155	155	270	345	220	46000
SD380-8	637	233	32	170	170	297	380	240	63000
SD410-8	690	254	33	185	180	320	410	255	86000
SD440-8	725	263	36	195	195	335	440	275	110000
SD475-8	780	284	38	210	210	360	475	295	138000
SD505-8	855	311	42	230	220	395	505	310	175000
SD540-8	895	323	46	240	235	415	540	330	220000
SD570-8	950	346	52	250	250	450	570	350	259000
SD605-8	1005	369	53	265	265	475	605	370	315000
SD635-8	1080	400	60	280	275	520	635	385	383000
SD675-8	1160	430	65	300	290	560	675	410	454000
SD700-8	1225	457	69	315	300	595	700	420	528000
SD730-8	1275	473	71	330	315	615	730	440	608000
SD760-8	1345	499	73	350	330	645	760	460	700000





## SPACER DISC COUPLING

Size	L	S	G	C	MAX. ID	SL	D	B	TORQUE NM
SD410-10	690	254	33	185	180	320	410	255	107500
SD440-10	725	263	36	195	195	335	440	275	137500
SD475-10	780	284	38	210	210	360	475	295	172500
SD505-10	855	311	42	230	220	395	505	310	219000
SD540-10	895	323	46	240	235	415	540	330	274000
SD570-10	950	346	52	250	250	450	570	350	323000
SD605-10	1005	369	53	265	265	475	605	370	394000
SD635-10	1080	398	61	280	275	520	635	385	480000
SD675-10	1160	430	65	300	290	560	675	410	570000
SD700-10	1225	457	69	315	300	595	700	420	660000
SD730-10	1275	473	71	330	315	615	730	440	760000
SD760-10	1345	499	73	350	330	645	760	460	870000

